SWISS-MODEL Homology Modelling Report

Model Building Report

This document lists the results for the homology modelling project "CCR5_HUMAN P51681 C-C chemokine receptor type 5" submitted to SWISS-MODEL workspace on Sept. 3, 2024, 9:54 p.m..The submitted primary amino acid sequence is given in Table T1.

If you use any results in your research, please cite the relevant publications:

- Waterhouse A, Bertoni M, Bienert S, Studer G, Tauriello G, Gumienny R, Heer FT, de Beer TAP, Rempfer C, Bordoli L, Lepore R, Schwede T
SWISS-MODEL: homology modelling of protein structures and complexes.
Nucleic Acids Res 46, W296-W303. (2018) 29788355 10.1093/nar/gky427
- Bienert S, Waterhouse A, de Beer TAP, Tauriello G, Studer G, Bordoli L, Schwede T
The SWISS-MODEL Repository - new features and functionality.
Nucleic Acids Res 45, D313-D319. (2017) 27899672 10.1093/nar/gkw1132
- Studer G, Tauriello G, Bienert S, Biasini M, Johner N, Schwede T
ProMod3 - A versatile homology modelling toolbox.
PLOS Comp Biol 17(1), e1008667. (2021) 33507980 10.1371/journal.pcbi.1008667
- Studer G, Rempfer C, Waterhouse AM, Gumienny R, Haas J, Schwede T
QMEANDisCo - distance constraints applied on model quality estimation.
Bioinformatics 36, 1765-1771. (2020) 31697312 10.1093/bioinformatics/btz828
- Bertoni M, Kiefer F, Biasini M, Bordoli L, Schwede T
Modeling protein quaternary structure of homo- and hetero-oligomers beyond binary interactions by homology.
Scientific Reports 7. (2017) 28874689 10.1038/s41598-017-09654-8

Results

The SWISS-MODEL template library (SMTL version 2024-08-28, PDB release 2024-08-23) was searched with BLAST (Camacho et al.) and HHblits (Steinegger et al.) for evolutionary related structures matching the target sequence in Table T1. For details on the template search, see Materials and Methods. Overall 1859 templates were found (Table T2).

Models

The following model was built (see Materials and Methods "Model Building"):

Model #04	File	Built with	Oligo-State	Ligands	GMQE	QMEANDisCo Global
	PDB	ProMod3 3.4.1	monomer	1 x MRV: 4,4-difluoro-N-[(1S)-3-{(3-exo)-3-[3-methyl-5-(propan-2-yl)-4H-1,2,4-triazol-4-yl]-8-azabicyclo[3.2.1]oct-8-yl}-1-phenylpropyl]cyclohexanecarboxamide; 6 x OLC: (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate;	0.75	0.72 ± 0.05

Template	Seq Identity	Oligo-state	QSQE	Found by	Method	Resolution	Seq Similarity	Range	Coverage	Description
4mbs.1.A	98.01	monomer	0.00	BLAST	X-ray	2.71Å	0.61	19 - 313	1.00	Chimera protein of C-C chemokine receptor type 5 and Rubredoxin

Included Ligands

Ligand	Description
1 x MRV	4,4-difluoro-N-[(1S)-3-{(3-exo)-3-[3-methyl-5-(propan-2-yl)-4H-1,2,4-triazol-4-yl]-8-azabicyclo[3.2.1]oct-8-yl}-1-phenylpropyl]cyclohexanecarboxamide
6 x OLC	(2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate

Excluded ligands

Ligand Name.Number	Reason for Exclusion	Description
ZN.2	Binding site not conserved.	ZINC ION

```
Target    MDYQVSSPIYDINYYTSEPCQKINVKQIAARLLPPLYSLVFIFGFVGNMLVILILINCKRLKSMTDIYLLNLAISDLFFL
4mbs.1.A  -DYQVSSPIYDINYYTSEPCQKINVKQIAARLLPPLYSLVFIFGFVGNMLVILILINYKRLKSMTDIYLLNLAISDLFFL

Target    LTVPFWAHYAAAQWDFGNTMCQLLTGLYFIGFFSGIFFIILLTIDRYLAVVHAVFALKARTVTFGVVTSVITWVVAVFAS
4mbs.1.A  LTVPFWAHYAAAQWDFGNTMCQLLTGLYFIGFFSGIFFIILLTIDRYLAVVHAVFALKARTVTFGVVTSVITWVVAVFAS

Target    LPGIIFTRSQKEGLHYTCSSHFPYSQYQFWKNFQTLKIVILGLVLPLLVMVICYSGILKTLLRCR---------------
4mbs.1.A  LPNIIFTRSQKEGLHYTCSSHFPYSQYQFWKNFQTLKIVILGLVLPLLVMVICYSGILKTLLRMKKYTCTVCGYIYNPED

Target    ----------------------------------NEKKRHRAVRLIFTIMIVYFLFWAPYNIVLLLNTFQEFFGLNNC
4mbs.1.A  GDPDNGVNPGTDFKDIPDDWVCPLCGVGKDQFEEVEEEKKRHRDVRLIFTIMIVYFLFWAPYNIVLLLNTFQEFFGLNNC

Target    SSSNRLDQAMQVTETLGMTHCCINPIIYAFVGEKFRNYLLVFFQKHIAKRFCKCCSIFQQEAPERASSVYTRSTGEQEIS
4mbs.1.A  SSSNRLDQAMQVTETLGMTHCCINPIIYAFVGEEFRNYLLVFFQKHIAKRFCKCCSIFQQEAPERASSVYTRSTGEQEIS

Target    VGL
4mbs.1.A  VGL
```

Materials and Methods

Template Search

Template search with BLAST and HHblits has been performed against the SWISS-MODEL template library (SMTL, last update: 2024-08-28, last included PDB release: 2024-08-23).

The target sequence was searched with BLAST against the primary amino acid sequence contained in the SMTL. A total of 463 templates were found.

An initial HHblits profile has been built using the procedure outlined in (Steinegger et al.), followed by 1 iteration of HHblits against Uniclust30 (Mirdita, von den Driesch et al.). The obtained profile has then be searched against all profiles of the SMTL. A total of 1407 templates were found.

Template Selection

For each identified template, the template's quality has been predicted from features of the target-template alignment. The templates with the highest quality have then been selected for model building.

Model Building

Models are built based on the target-template alignment using ProMod3 (Studer et al.). Coordinates which are conserved between the target and the template are copied from the template to the model. Insertions and deletions are remodelled using a fragment library. Side chains are then rebuilt. Finally, the geometry of the resulting model is regularized by using a force field.

Model Quality Estimation

The global and per-residue model quality has been assessed using the QMEAN scoring function (Studer et al.).

Ligand Modelling

Ligands present in the template structure are transferred by homology to the model when the following criteria are met: (a) The ligands are annotated as biologically relevant in the template library, (b) the ligand is in contact with the model, (c) the ligand is not clashing with the protein, (d) the residues in contact with the ligand are conserved between the target and the template. If any of these four criteria is not satisfied, a certain ligand will not be included in the model. The model summary includes information on why and which ligand has not been included.

Oligomeric State Conservation

The quaternary structure annotation of the template is used to model the target sequence in its oligomeric form. The method (Bertoni et al.) is based on a supervised machine learning algorithm, Support Vector Machines (SVM), which combines interface conservation, structural clustering, and other template features to provide a quaternary structure quality estimate (QSQE). The QSQE score is a number between 0 and 1, reflecting the expected accuracy of the interchain contacts for a model built based a given alignment and template. Higher numbers indicate higher reliability. This complements the GMQE score which estimates the accuracy of the tertiary structure of the resulting model.

References

- Camacho C, Coulouris G, Avagyan V, Ma N, Papadopoulos J, Bealer K, Madden TL
  BLAST+: architecture and applications.
  BMC Bioinformatics, 10, 421-430. (2009) 20003500 10.1186/1471-2105-10-421
- Steinegger M, Meier M, Mirdita M, Vöhringer H, Haunsberger SJ, Söding J
  HH-suite3 for fast remote homology detection and deep protein annotation.
  BMC Bioinformatics 20, 473. (2019) 31521110 10.1186/s12859-019-3019-7
- Mirdita M, von den Driesch L, Galiez C, Martin MJ, Söding J, Steinegger M
  Uniclust databases of clustered and deeply annotated protein sequences and alignments.
  Nucleic Acids Res, 45, D170–D176. (2016) 27899574 10.1093/nar/gkw1081

Table T1:

Primary amino acid sequence for which templates were searched and models were built.

```
MDYQVSSPIYDINYYTSEPCQKINVKQIAARLLPPLYSLVFIFGFVGNMLVILILINCKRLKSMTDIYLLNLAISDLFFLLTVPFWAHYAAAQWDFGNTM
CQLLTGLYFIGFFSGIFFIILLTIDRYLAVVHAVFALKARTVTFGVVTSVITWVVAVFASLPGIIFTRSQKEGLHYTCSSHFPYSQYQFWKNFQTLKIVI
LGLVLPLLVMVICYSGILKTLLRCRNEKKRHRAVRLIFTIMIVYFLFWAPYNIVLLLNTFQEFFGLNNCSSSNRLDQAMQVTETLGMTHCCINPIIYAFV
GEKFRNYLLVFFQKHIAKRFCKCCSIFQQEAPERASSVYTRSTGEQEISVGL
```

Table T2:

Template	Seq Identity	Oligo-state	QSQE	Found by	Method	Resolution	Seq Similarity	Coverage	Description
P51681.1.A	100.00	monomer	-	AFDB search	AlphaFold v2	NA	0.62	1.00	C-C chemokine receptor type 5
5uiw.1.A	97.99	monomer	-	BLAST	X-ray	2.20Å	0.61	0.99	C-C chemokine receptor type 5,Rubredoxin chimera
4mbs.1.A	98.00	monomer	-	HHblits	X-ray	2.71Å	0.61	0.99	Chimera protein of C-C chemokine receptor type 5 and Rubredoxin
4mbs.1.A	98.01	monomer	-	BLAST	X-ray	2.71Å	0.61	1.00	Chimera protein of C-C chemokine receptor type 5 and Rubredoxin
7o7f.1.C	100.00	monomer	-	BLAST	EM	NA	0.62	1.00	C-C chemokine receptor type 5
7o7f.1.C	100.00	monomer	-	HHblits	EM	NA	0.62	0.93	C-C chemokine receptor type 5
7f1q.1.A	99.37	monomer	-	BLAST	EM	NA	0.61	0.90	C-C motif chemokine 3,C-C chemokine receptor type 5
7xa3.1.A	76.79	monomer	-	BLAST	EM	NA	0.54	0.95	Isoform B of C-C chemokine receptor type 2
7xa3.1.A	80.95	monomer	-	HHblits	EM	NA	0.55	0.84	Isoform B of C-C chemokine receptor type 2
6gps.1.A	75.08	monomer	-	BLAST	X-ray	3.30Å	0.53	0.86	C-C chemokine receptor type 2,Rubredoxin,C-C chemokine receptor type 2
7f1r.1.A	99.37	monomer	-	BLAST	EM	NA	0.61	0.90	C-C motif chemokine 5,C-C chemokine receptor type 5
5t1a.1.A	75.95	monomer	-	HHblits	X-ray	2.81Å	0.53	0.83	Chimera protein of CC chemokine receptor type 2

Template	Seq Identity	Oligo-state	QSQE	Found by	Method	Resolution	Seq Similarity	Coverage	Description
									isoform B and T4-lysozyme,Lysozyme
6gpx.1.A	76.55	monomer	-	HHblits	X-ray	2.70Å	0.53	0.82	C-C chemokine receptor type 2,Rubredoxin,C-C chemokine receptor type 2
6gps.1.A	75.51	monomer	-	HHblits	X-ray	3.30Å	0.53	0.84	C-C chemokine receptor type 2,Rubredoxin,C-C chemokine receptor type 2
6gpx.1.A	78.32	monomer	-	BLAST	X-ray	2.70Å	0.54	0.81	C-C chemokine receptor type 2,Rubredoxin,C-C chemokine receptor type 2
7f1s.1.A	99.69	monomer	-	BLAST	EM	NA	0.61	0.90	C-C chemokine receptor type 5
8u4t.1.C	34.24	homo-tetramer	0.02	BLAST	EM	NA	0.39	0.84	C-X-C chemokine receptor type 4
8f7r.1.A	26.06	homo-dimer	0.19	HHblits	EM	NA	0.36	0.81	Mu-type opioid receptor
9bjk.1.B	26.06	monomer	-	HHblits	EM	NA	0.36	0.81	Mu-type opioid receptor
7ul4.1.A	26.06	monomer	-	HHblits	EM	NA	0.36	0.81	Mu-type opioid receptor
8u4t.1.C	31.51	homo-tetramer	0.04	HHblits	EM	NA	0.38	0.83	C-X-C chemokine receptor type 4
8f7q.1.A	25.70	homo-dimer	0.10	HHblits	EM	NA	0.36	0.81	Mu-type opioid receptor
8u4r.1.C	34.24	monomer	-	BLAST	EM	NA	0.39	0.84	C-X-C chemokine receptor type 4
8u4o.1.A	31.51	monomer	-	HHblits	EM	NA	0.38	0.83	C-X-C chemokine receptor type 4
7t2g.1.D	25.61	monomer	-	HHblits	EM	NA	0.36	0.81	Soluble cytochrome b562,Mu-type opioid receptor
8u4s.1.C	34.24	homo-trimer	0.10	BLAST	EM	NA	0.39	0.84	C-X-C chemokine receptor type 4
8u4q.1.C	34.24	monomer	-	BLAST	EM	NA	0.39	0.84	C-X-C chemokine receptor type 4
7sbf.1.E	25.61	monomer	-	HHblits	EM	NA	0.36	0.81	Soluble cytochrome b562, Mu-type opioid receptor chimera,Mu-type opioid receptor
8u4n.1.D	34.24	monomer	-	BLAST	EM	NA	0.39	0.84	C-X-C chemokine receptor type 4
8u4o.1.A	34.24	monomer	-	BLAST	EM	NA	0.39	0.84	C-X-C chemokine receptor type 4
8qot.1.A	25.96	monomer	-	HHblits	EM	NA	0.36	0.81	Mu-type opioid receptor
7ul4.1.A	28.78	monomer	-	BLAST	EM	NA	0.38	0.79	Mu-type opioid receptor
8iy9.1.E	23.00	monomer	-	HHblits	EM	NA	0.32	0.82	Hydroxycarboxylic acid receptor 2
8iyw.1.E	23.00	monomer	-	HHblits	EM	NA	0.32	0.82	Hydroxycarboxylic acid receptor 2
8jhn.1.C	26.58	monomer	-	BLAST	EM	NA	0.35	0.86	Hydroxycarboxylic acid receptor 2
8iy9.1.E	26.58	monomer	-	BLAST	EM	NA	0.35	0.86	Hydroxycarboxylic acid receptor 2
8jz7.1.E	26.58	monomer	-	BLAST	EM	NA	0.35	0.86	Hydroxycarboxylic acid receptor 2
8h2g.1.A	26.67	monomer	-	BLAST	EM	NA	0.35	0.85	Hydroxy-carboxylic acid receptor 2

Template	Seq Identity	Oligo-state	QSQE	Found by	Method	Resolution	Seq Similarity	Coverage	Description
8jhy.1.E	26.58	monomer	-	BLAST	EM	NA	0.35	0.86	Hydroxycarboxylic acid receptor 2
8jil.1.E	26.58	monomer	-	BLAST	EM	NA	0.35	0.86	Hydroxycarboxylic acid receptor 2
8jim.1.E	26.58	monomer	-	BLAST	EM	NA	0.35	0.86	Hydroxycarboxylic acid receptor 2
8iyw.1.E	26.58	monomer	-	BLAST	EM	NA	0.35	0.86	Hydroxycarboxylic acid receptor 2
5dys.1.A	25.80	monomer	-	BLAST	X-ray	2.30Å	0.35	0.80	Rhodopsin
6fk6.1.A	25.80	monomer	-	BLAST	X-ray	2.36Å	0.35	0.80	Rhodopsin
2x72.1.A	25.80	homo-dimer	0.20	BLAST	X-ray	3.00Å	0.35	0.80	RHODOPSIN
4bey.1.A	25.80	monomer	-	BLAST	X-ray	2.90Å	0.35	0.80	Rhodopsin
6fk8.1.A	25.80	monomer	-	BLAST	X-ray	2.87Å	0.35	0.80	Rhodopsin
6fkb.1.A	25.80	monomer	-	BLAST	X-ray	3.03Å	0.35	0.80	Rhodopsin
3c9m.1.A	25.80	monomer	-	BLAST	X-ray	3.40Å	0.35	0.80	Rhodopsin
2j4y.1.B	25.80	homo-dimer	-	BLAST	X-ray	3.40Å	0.35	0.80	RHODOPSIN

The table above shows the top 50 filtered templates. A further 1,371 templates were found which were considered to be less suitable for modelling than the filtered list.
1f88.2.A, 1f88.3.A, 1fdf.1.A, 1hll.1.A, 1ho9.1.A, 1hod.1.A, 1hof.1.A, 1jfp.1.A, 1l9h.4.A, 1l9h.4.B, 1ln6.1.A, 2hpy.2.A, 2i35.1.A, 2i36.3.A, 2i37.1.A, 2j4y.1.B, 2ki9.1.A, 2koe.1.A, 2ks9.1.A, 2lnl.1.A, 2lot.1.A, 2lou.1.A, 2lov.1.A, 2low.1.A, 2n28.1.A, 2r4r.1.A, 2r4s.1.A, 2rh1.1.A, 2vt4.2.B, 2vt4.5.A, 2x72.1.A, 2y00.1.A, 2ycw.1.A, 2ycw.2.A, 2ycx.1.A, 2ydv.1.A, 2ziy.1.A, 3ayn.1.A, 3c9l.1.A, 3c9m.1.A, 3d4s.1.A, 3eml.1.A, 3kj6.1.A, 3odu.1.A, 3odu.1.B, 3oe0.1.A, 3oe6.1.A, 3oe8.1.A, 3oe8.1.B, 3oe8.2.A, 3oe9.1.A, 3oe9.1.B, 3p0g.1.A, 3pbl.1.A, 3pbl.2.A, 3pds.1.A, 3pqr.2.C, 3pwh.1.A, 3qak.1.A, 3rze.1.A, 3sn6.1.D, 3uon.1.A, 3v2w.1.A, 3vg9.1.A, 3vga.1.A, 3vw7.1.A, 3zev.1.A, 4a4m.1.A, 4bey.1.A, 4buo.1.A, 4buo.2.A, 4bv0.1.A, 4bv0.2.A, 4bvn.1.A, 4bwb.1.A, 4bwb.2.A, 4daj.1.A, 4daj.2.A, 4djh.1.A, 4djh.1.B, 4dkl.1.A, 4ea3.1.A, 4ej4.1.A, 4gbr.1.A, 4gpo.1.A, 4grv.1.A, 4iaq.1.A, 4iar.1.A, 4ib4.1.A, 4jkv.1.A, 4jkv.1.B, 4k5y.1.A, 4k5y.2.A, 4k5y.3.A, 4l6r.1.A, 4ldl.1.A, 4mqs.1.A, 4n4w.1.A, 4n6h.1.A, 4nc3.1.A, 4ntj.1.A, 4o9r.1.A, 4or2.1.A, 4phu.1.A, 4pxz.1.A, 4py0.1.A, 4qim.1.A, 4qin.1.A, 4qkx.1.A, 4rwa.1.A, 4rwd.1.A, 4rws.1.A, 4s0v.1.A, 4u14.1.A, 4u16.1.A, 4u16.2.A, 4ug2.1.A, 4uhr.1.A, 4ww3.1.A, 4xee.1.A, 4xes.1.A, 4xnv.1.A, 4xnw.1.A, 4xnw.2.A, 4xt1.1.A, 4xt3.1.A, 4yay.1.A, 4z34.1.A, 4z35.1.A, 4z36.1.A, 4z9g.1.A, 4z9g.2.A, 4z9g.3.A, 4zj8.1.A, 4zud.1.A, 4zwj.1.A, 5a8e.1.A, 5c1m.1.A, 5cxv.1.A, 5dhg.1.A, 5dhh.2.A, 5dsg.1.A, 5dsg.2.A, 5dys.1.A, 5ee7.1.A, 5f8u.1.A, 5g53.1.A, 5glh.1.A, 5jqh.1.A, 5jtb.1.A, 5kw2.1.A, 5l7d.1.A, 5l7d.2.A, 5l7i.1.A, 5l7i.2.A, 5lwe.1.A, 5lwe.2.A, 5n2r.1.A, 5n2s.1.A, 5ndd.1.A, 5nj6.1.A, 5nx2.1.A, 5o9h.1.A, 5o9h.1.B, 5olo.1.A, 5t04.1.A, 5t1a.1.A, 5te5.1.A, 5tgz.1.A, 5tud.1.A, 5tvn.1.A, 5tzy.1.A, 5u09.1.A, 5uen.1.A, 5uen.1.B, 5uig.1.A, 5uiw.1.A, 5unf.1.A, 5unf.1.B, 5ung.1.A, 5unh.1.B, 5uz7.1.E, 5v54.1.A, 5v54.1.B, 5v56.1.A, 5v56.1.B, 5v57.1.A, 5v57.1.B, 5vai.1.A, 5vbl.1.B, 5vew.1.A, 5w0p.1.A, 5wb1.1.A, 5wb2.1.A, 5wf5.1.A, 5wf6.1.A, 5wiu.1.A, 5wqc.1.A, 5x33.1.A, 5x7d.1.A, 5x93.1.A, 5xez.1.A, 5xez.2.A, 5xjm.1.A, 5xpr.1.A, 5xr8.1.A, 5xra.1.A, 5xsz.1.A, 5yqz.1.A, 5ywy.1.A, 5zbh.1.A, 5zbq.1.A, 5zhp.1.A, 5zhp.2.A, 5zk3.1.A, 5zk8.1.A, 5zkb.1.A, 5zkp.1.A, 5zkq.1.A, 5zkq.1.B, 5zty.1.A, 6a93.1.A, 6a93.2.A, 6ak3.1.A, 6akx.1.A, 6aky.1.A, 6aqf.1.A, 6b3j.1.A, 6b73.1.A, 6bd4.1.A, 6bqg.1.A, 6bqh.1.A, 6c1q.1.A, 6cm4.1.A, 6cmo.1.A, 6d26.1.A, 6d32.1.A, 6d35.1.A, 6d9h.1.D, 6dde.1.E, 6do1.1.A, 6drx.1.A, 6dry.1.A, 6drz.1.A, 6e3y.1.F, 6e59.1.A, 6e67.1.A, 6e67.2.A, 6fgp.1.A, 6fj3.1.A, 6fk6.1.A, 6fk8.1.A, 6fkb.1.A, 6fuf.1.A, 6g79.1.D, 6gdg.1.A, 6h7j.1.B, 6hll.1.A, 6hlo.1.A, 6i9k.1.A, 6ibb.1.A, 6ibb.2.A, 6ibl.1.A, 6ibl.2.A, 6igk.1.A, 6igl.1.A, 6iiu.1.A, 6iql.1.A, 6iql.1.B, 6j20.1.A, 6j21.1.A, 6jod.1.A, 6jzh.1.A, 6k1q.1.A, 6k41.1.D, 6k42.1.D, 6kjv.1.A, 6kk1.1.A, 6kk7.1.A, 6knm.1.A, 6ko5.1.A, 6kp6.1.A, 6kpc.1.A, 6kpf.1.D, 6kpg.1.D, 6kqi.1.A, 6kr8.1.A, 6kuw.1.A, 6kuw.1.B, 6kux.1.A, 6kuy.1.A, 6lfl.1.A, 6lfm.1.F, 6lfo.1.E, 6li0.1.A, 6li1.1.A, 6li2.1.A, 6li3.1.A, 6lmk.1.E, 6lml.1.F, 6ln2.1.A, 6lpb.1.B, 6lry.1.A, 6luq.1.A, 6lw5.1.A, 6m1h.1.A, 6m1i.1.A, 6m9t.1.A, 6me2.1.A, 6me6.1.A, 6me6.1.B, 6me7.1.A, 6me7.2.A, 6me8.1.A, 6me8.2.A, 6me9.2.A, 6meo.1.C, 6mh8.1.A, 6mxt.1.A, 6n4b.1.D, 6n51.1.A, 6n52.1.A, 6nbf.1.A, 6nbh.1.A, 6nbi.1.A, 6ni3.1.D, 6niy.1.C, 6o3c.1.A, 6oba.1.A, 6ofj.1.A, 6oij.1.B, 6oik.1.A, 6ol9.1.A, 6omm.1.A, 6orv.1.E, 6os0.1.A, 6os1.1.A, 6os9.1.A, 6osa.1.A, 6ot0.1.A, 6oy9.1.D, 6oya.1.E, 6p9x.1.E, 6p9y.1.F, 6pb0.1.A, 6pb1.1.A, 6prz.1.A, 6ps7.1.A, 6pt0.1.A, 6pt2.1.A, 6pt2.1.B, 6pt3.1.B, 6pwc.1.A, 6qno.1.F, 6qzh.1.A, 6rnk.1.A, 6rz4.1.A, 6rz5.1.A, 6rz5.2.A, 6rz6.1.A, 6rz7.1.A, 6rz8.1.A, 6s0q.1.A, 6tko.1.A, 6to7.1.A, 6to7.2.A, 6tod.1.A, 6tod.2.A, 6tos.1.A, 6tos.2.A, 6tp3.1.A, 6tp3.2.A, 6tp4.1.A, 6tp4.2.A, 6tp6.2.A, 6tpg.1.A, 6tpj.1.A, 6tpk.1.A, 6tq4.2.A, 6tq7.2.A, 6tq9.1.A, 6u1n.1.A, 6uo8.1.A, 6uo8.1.B, 6uo9.1.A, 6uo9.1.B, 6uoa.1.A, 6uoa.1.B, 6up7.1.B, 6uun.1.G, 6uus.1.F, 6uva.1.G, 6v9s.1.A, 6vcb.1.A, 6vi4.1.A, 6vi4.1.C, 6vjm.1.A, 6vjm.1.B, 6vms.1.E, 6vn7.1.A, 6w25.1.A, 6w2x.1.A, 6w2x.1.B, 6w2y.1.A, 6wgt.1.A, 6wgt.2.A, 6wgt.3.A, 6wh4.1.A, 6wh4.2.A, 6wha.1.A, 6whc.1.F, 6wi9.1.F, 6wiv.1.A, 6wiv.1.B, 6wjc.1.A, 6wpw.1.F, 6ww2.1.D, 6wwz.1.F, 6wzg.1.B, 6x18.1.F, 6x19.1.E, 6x1a.1.E, 6xbj.1.A, 6xbk.1.A, 6xbl.1.A, 6xbm.1.A, 6xox.1.F, 6yvr.1.B, 6z4q.1.A, 6z4s.1.A, 6z4v.1.A, 6z66.1.A, 6z8n.1.A, 6zfz.1.A, 7aue.1.A, 7b6w.1.A, 7bb6.1.A, 7bb7.1.A, 7br3.1.A, 7bts.1.A, 7bu6.1.A, 7bvq.1.A, 7bvq.2.A, 7bw0.1.A, 7bz2.1.E, 7c2e.1.E, 7c4s.1.C, 7c4s.2.C, 7c61.1.C, 7c6a.1.C, 7c7q.1.A, 7c7q.1.B, 7c7s.1.A, 7c7s.1.B, 7ca3.1.A, 7ca3.1.B, 7ca5.1.A, 7ca5.1.B, 7cfm.1.E, 7cfn.1.E, 7ckw.1.E, 7ckx.1.E, 7cky.1.E, 7cmu.1.E, 7crh.1.E, 7cum.1.A, 7cum.1.B, 7cx2.1.A, 7cx3.1.A, 7cz5.1.A, 7d3s.1.B, 7d68.1.F, 7d76.1.D, 7d7m.1.A, 7db6.1.E, 7dd5.1.A, 7dd5.1.B, 7dd6.1.A, 7dd6.1.B, 7dd7.1.A, 7dd7.1.B, 7ddz.1.A, 7dfl.1.A, 7dfp.1.A, 7dgd.1.A, 7dgd.1.B, 7dge.1.A,

7dge.1.B, 7dh5.1.E, 7dhi.1.E, 7dhr.1.E, 7dtt.1.A, 7dtu.1.A, 7dtw.1.A, 7dty.1.A, 7duq.1.B, 7dw9.1.A, 7e14.1.E, 7e2x.1.D, 7e2y.1.D, 7e2z.1.D, 7e32.1.E, 7e33.1.E, 7e6t.1.A, 7e6t.1.B, 7e6u.1.A, 7e9g.1.A, 7e9g.1.B, 7e9h.1.A, 7e9h.1.B, 7eb2.1.E, 7eb2.1.F, 7eib.1.A, 7ej0.1.E, 7ej8.1.D, 7eja.1.D, 7ejk.1.E, 7ejx.1.A, 7eo2.1.A, 7eo4.1.A, 7epa.1.A, 7epb.1.A, 7epc.1.A, 7epd.1.A, 7epd.1.B, 7ept.1.E, 7eq1.1.B, 7euo.1.A, 7evy.1.D, 7evz.1.D, 7ew0.1.D, 7ew1.1.E, 7ew2.1.E, 7ew4.1.D, 7ew7.1.D, 7ewl.1.A, 7ewl.1.B, 7ewp.1.A, 7ewp.1.B, 7exd.1.E, 7ezc.1.A, 7ezc.1.B, 7ezh.1.C, 7f16.1.A, 7f1q.1.A, 7f1r.1.A, 7f1s.1.A, 7f1t.1.A, 7f23.1.A, 7f24.1.B, 7f2o.1.C, 7f4d.1.E, 7f4f.1.B, 7f4h.1.E, 7f4i.1.E, 7f53.1.E, 7f61.1.A, 7f6g.1.A, 7f6h.1.A, 7f6i.1.A, 7f83.1.A, 7f83.1.B, 7f8u.1.A, 7f8v.1.E, 7f8w.1.F, 7f8x.1.A, 7f9y.1.F, 7f9z.1.F, 7fd8.1.A, 7fd9.1.A, 7fee.1.A, 7fig.1.E, 7fih.1.D, 7fii.1.D, 7fij.1.A, 7fim.1.D, 7fin.1.A, 7fiy.1.A, 7jhj.1.E, 7jjo.1.E, 7jni.1.A, 7jni.2.A, 7joz.1.E, 7jv5.1.A, 7jvp.1.A, 7jvq.1.A, 7jvr.1.A, 7k15.1.A, 7kh0.1.A, 7ki0.1.F, 7ki1.1.E, 7knt.1.B, 7knu.1.C, 7l0p.1.A, 7l0r.1.A, 7l1u.1.E, 7l1v.1.E, 7lci.1.A, 7lcj.1.A, 7lck.1.A, 7ld3.1.B, 7ld4.1.D, 7ljc.1.A, 7lll.1.F, 7lly.1.F, 7m3e.1.A, 7m3e.1.B, 7m3f.1.A, 7m3f.1.B, 7m3g.1.A, 7m3g.1.B, 7m3j.1.A, 7m3j.1.B, 7m8w.1.A, 7mbx.1.E, 7mby.1.C, 7mt8.1.B, 7mt9.1.B, 7mta.1.D, 7mtb.1.D, 7mtq.1.A, 7mtq.1.B, 7mtr.1.A, 7mtr.1.B, 7mts.1.A, 7mts.1.B, 7na7.1.E, 7na8.1.E, 7p00.1.E, 7piu.1.A, 7pp1.1.A, 7px4.1.A, 7qvm.1.E, 7r0c.1.A, 7ra3.1.G, 7ran.1.A, 7rbt.1.G, 7rg9.1.F, 7rgp.1.G, 7rkf.1.F, 7rkm.1.F, 7rkn.1.F, 7rkx.1.E, 7rky.1.E, 7rm5.1.A, 7rmg.1.B, 7rtb.1.E, 7ryc.1.B, 7s0f.1.A, 7s0g.1.A, 7s15.1.A, 7s1m.1.F, 7s3i.1.E, 7s8l.1.A, 7s8m.1.E, 7s8p.1.E, 7sbf.1.E, 7scg.1.C, 7sf7.1.A, 7sf8.1.A, 7she.1.A, 7she.1.B, 7shf.1.C, 7shf.1.D, 7sil.1.A, 7sin.1.A, 7sin.1.B, 7sk3.1.A, 7sk4.1.A, 7sk5.1.A, 7sk6.1.A, 7sk7.1.A, 7sk8.1.A, 7sk9.1.A, 7sqo.1.A, 7sr8.1.E, 7srq.1.A, 7srr.1.E, 7srs.1.C, 7sus.1.A, 7t10.1.A, 7t2g.1.D, 7t2h.1.E, 7t32.1.A, 7t6b.1.E, 7t6s.1.E, 7t6t.1.D, 7t6u.1.E, 7t6v.1.A, 7t8x.1.A, 7t90.1.A, 7t94.1.A, 7t96.1.A, 7t9i.1.D, 7t9m.1.C, 7t9n.1.D, 7td0.1.A, 7td1.1.A, 7td2.1.A, 7td3.1.D, 7tm3.1.B, 7tmw.1.A, 7trk.1.A, 7try.1.A, 7ts0.1.A, 7tut.1.j, 7tuy.1.D, 7tuz.1.A, 7tyh.1.G, 7tyi.1.F, 7tyl.1.F, 7tyn.1.B, 7tyo.1.F, 7tyw.1.C, 7tyx.1.C, 7tyy.1.C, 7tzf.1.C, 7u2k.1.C, 7u2l.1.D, 7ul2.1.A, 7ul3.1.A, 7ul5.1.A, 7um4.1.A, 7um5.1.A, 7um6.1.A, 7um7.1.A, 7utz.1.D, 7v35.1.F, 7v3z.1.A, 7v68.1.E, 7v69.1.E, 7v6a.1.E, 7v9l.1.B, 7v9m.1.E, 7vab.1.A, 7vbh.1.D, 7vbi.1.D, 7vdh.1.A, 7vdl.1.E, 7vdm.1.E, 7vfx.1.A, 7vgx.1.A, 7vgy.1.A, 7vgz.1.A, 7vh0.1.A, 7vie.1.D, 7vif.1.D, 7vih.1.D, 7vkt.1.A, 7vl8.1.D, 7vl9.1.E, 7vla.1.E, 7vod.1.A, 7vqx.1.F, 7vug.1.D, 7vuh.1.E, 7vui.1.E, 7vuy.1.A, 7vuz.1.A, 7vv0.1.B, 7vv3.1.E, 7vvj.1.F, 7vvk.1.F, 7vvl.1.F, 7vvm.1.F, 7vvn.1.F, 7vvo.1.F, 7w0l.1.D, 7w0l.1.E, 7w0m.1.D, 7w0n.1.D, 7w0n.1.E, 7w0o.1.E, 7w0p.1.D, 7w2z.1.B, 7w3z.1.A, 7w41.1.A, 7w53.1.F, 7w55.1.F, 7w56.1.F, 7w57.1.F, 7w6p.1.E, 7w7e.1.E, 7wbj.1.A, 7wc4.1.A, 7wc8.1.A, 7wcm.1.E, 7wcn.1.E, 7wf7.1.A, 7wi6.1.A, 7wi8.1.A, 7wic.1.B, 7wig.1.A, 7wih.1.A, 7wj5.1.E, 7wkd.1.E, 7wq3.1.A, 7wq4.1.A, 7wu2.1.E, 7wu3.1.E, 7wu4.1.D, 7wu5.1.D, 7wu9.1.A, 7wui.1.E, 7wuj.1.C, 7wuq.1.E, 7wv9.1.D, 7wvu.1.A, 7wvv.1.A, 7wxu.1.E, 7wy0.1.E, 7wy5.1.E, 7wy8.1.A, 7wyb.1.E, 7wz4.1.A, 7wz7.1.E, 7x10.1.E, 7x1t.1.B, 7x1u.1.B, 7x2c.1.A, 7x2f.1.A, 7x2v.1.D, 7x5h.1.E, 7x8r.1.E, 7x8s.1.E, 7x9a.1.A, 7x9b.1.D, 7x9c.1.A, 7x9y.1.D, 7xat.1.A, 7xau.1.A, 7xav.1.A, 7xbd.1.A, 7xbw.1.D, 7xbx.1.D, 7xjh.1.E, 7xji.1.D, 7xjj.1.D, 7xjk.1.F, 7xk2.1.C, 7xk8.1.B, 7xkd.1.E, 7xke.1.E, 7xmr.1.A, 7xms.1.A, 7xmt.1.A, 7xn9.1.A, 7xna.1.A, 7xou.1.E, 7xov.1.E, 7xow.1.A, 7xp4.1.E, 7xp5.1.A, 7xp6.1.E, 7xrr.1.A, 7xt8.1.E, 7xta.1.E, 7xtb.1.E, 7xtc.1.E, 7xtq.1.E, 7xv3.1.A, 7xw5.1.E, 7xw6.1.F, 7xw7.1.B, 7xw9.1.A, 7xwo.1.A, 7xxh.1.A, 7xxi.1.A, 7xy6.1.D, 7xy7.1.D, 7xz5.1.E, 7xz6.1.E, 7y12.1.D, 7y13.1.A, 7y14.1.A, 7y1f.1.C, 7y24.1.E, 7y26.1.D, 7y27.1.D, 7y35.1.A, 7y36.1.A, 7y3g.1.E, 7y64.1.E, 7y65.1.E, 7y67.1.D, 7y89.1.E, 7yac.1.D, 7yae.1.E, 7ydh.1.E, 7ydj.1.E, 7ydm.1.E, 7ydp.1.A, 7yfc.1.F, 7yfd.1.D, 7yit.1.A, 7yj4.1.E, 7yk6.1.C, 7yk7.1.C, 7ykd.1.A, 7ym8.1.B, 7ymh.1.A, 7ymj.1.A, 7yon.1.E, 7yoo.1.E, 7yp7.1.E, 7ys6.1.A, 7yu3.1.D, 7yxa.1.A, 7yxa.2.A, 7zl9.1.A, 7zly.1.A, 8a2o.1.A, 8c9w.1.A, 8cic.1.A, 8crt.1.D, 8cs9.1.F, 8cu6.1.A, 8cu7.1.A, 8dpf.1.A, 8dph.1.A, 8dwc.1.D, 8dzp.1.A, 8dzq.1.E, 8dzr.1.A, 8dzs.1.A, 8e3x.1.F, 8e3y.1.F, 8e3z.1.F, 8e9w.1.A, 8e9x.1.A, 8e9y.1.A, 8e9z.1.A, 8ef5.1.A, 8efb.1.A, 8efq.1.D, 8eit.1.E, 8ejc.1.E, 8ejk.1.E, 8f0j.1.B, 8f2a.1.C, 8f2b.1.G, 8f76.1.A, 8f7q.1.A, 8f7r.1.A, 8f7s.1.A, 8f7w.1.A, 8f7x.1.A, 8fd0.1.B, 8feg.1.E, 8flq.1.F, 8flu.1.F, 8fmz.1.E, 8fn0.1.A, 8fn1.1.A, 8fu6.1.F, 8fx5.1.A, 8fy8.1.D, 8g05.1.A, 8g2y.1.E, 8g59.1.E, 8g94.1.A, 8gag.1.D, 8gcm.1.E, 8gcp.1.E, 8gd9.1.E, 8gdc.1.D, 8gea.1.D, 8geh.1.D, 8gej.1.D, 8gga.1.D, 8ggc.1.D, 8gge.1.D, 8ggf.1.D, 8ggl.1.A, 8ggy.1.A, 8gh0.1.A, 8gh1.1.A, 8ghv.1.D, 8gne.1.A, 8gng.1.A, 8gtg.1.A, 8guq.1.D, 8gur.1.D, 8gus.1.D, 8gut.1.D, 8gw8.1.E, 8gy7.1.F, 8h0p.1.B, 8h0q.1.A, 8h2g.1.A, 8h4i.1.E, 8h4k.1.E, 8h4l.1.E, 8h8j.1.C, 8ha0.1.F, 8haf.1.F, 8hao.1.I, 8hao.1.L, 8hbd.1.F, 8hcq.1.F, 8hcx.1.C, 8hdo.1.E, 8hdp.1.E, 8hix.1.E, 8hj0.1.E, 8hj1.1.E, 8hj2.1.D, 8hj5.1.E, 8hk2.1.A, 8hk3.1.C, 8hk5.1.A, 8hmp.1.D, 8hmv.1.A, 8hn1.1.B, 8hn8.1.D, 8hnk.1.D, 8hnl.1.D, 8hnm.1.D, 8hnn.1.B, 8hoc.1.D, 8hpt.1.A, 8hqc.1.A, 8hqe.1.D, 8hqm.1.D, 8hqn.1.D, 8hs2.1.C, 8hs3.1.D, 8hsc.1.F, 8hti.1.E, 8hvi.1.A, 8i2g.1.E, 8i2h.1.A, 8i7v.1.A, 8i7w.1.A, 8i95.1.E, 8i9a.1.E, 8i9l.1.E, 8i9s.1.A, 8ia2.1.A, 8ia8.1.B, 8ibu.1.E, 8ibv.1.A, 8ic0.1.A, 8id3.1.E, 8id4.1.A, 8id6.1.A, 8id8.1.C, 8id9.1.E, 8ieb.1.A, 8ieb.1.B, 8iei.1.B, 8iep.1.B, 8ihb.1.A, 8ihj.1.A, 8ij3.1.A, 8ija.1.A, 8ijb.1.A, 8ijd.1.A, 8ikg.1.D, 8ikh.1.D, 8ikj.1.A, 8ikl.1.A, 8inr.1.A, 8ioc.1.C, 8iod.1.E, 8iq4.1.A, 8irr.1.E, 8irs.1.E, 8irt.1.E, 8iru.1.E, 8irv.1.D, 8itf.1.D, 8itl.1.A, 8itm.1.A, 8iu2.1.A, 8ium.1.F, 8iw1.1.D, 8iw4.1.D, 8iw7.1.A, 8iw9.1.D, 8iy5.1.E, 8iys.1.E, 8iyx.1.A, 8iz4.1.E, 8izb.1.E, 8j18.1.D, 8j19.1.A, 8j1a.1.D, 8j20.1.D, 8j21.1.D, 8j22.1.C, 8j23.1.A, 8j24.1.C, 8j46.1.A, 8j6d.1.C, 8j6i.1.A, 8j6j.1.E, 8j6l.1.E, 8j6p.1.E, 8j6r.1.E, 8j9n.1.A, 8j9o.1.A, 8jbf.1.A, 8jbg.1.A, 8jbh.1.A, 8jcu.1.A, 8jcu.1.B, 8jcv.1.A, 8jcv.1.B, 8jcw.1.A, 8jcw.1.B, 8jcx.1.A, 8jcx.1.B, 8jcy.1.A, 8jcy.1.B, 8jcz.1.A, 8jcz.1.B, 8jd0.1.A, 8jd0.1.B, 8jd1.1.A, 8jd1.1.B, 8jd2.1.A, 8jd2.1.B, 8jd3.1.A, 8jd3.1.B, 8jd4.1.A, 8jd4.1.B, 8jd5.1.A, 8jd5.1.B, 8jd6.1.A, 8jd6.1.B, 8jgb.1.E, 8jgf.1.F, 8jgg.1.F, 8jh7.1.D, 8jhb.1.E, 8jhc.1.A, 8jhi.1.E, 8jhn.1.C, 8jhy.1.E, 8jil.1.E, 8jim.1.E, 8jip.1.A, 8jiq.1.F, 8jir.1.F, 8jis.1.F, 8jit.1.F, 8jiu.1.F, 8jj8.1.A, 8jjl.1.A, 8jjo.1.A, 8jjp.1.A, 8jlj.1.C, 8jlk.1.C, 8jln.1.C, 8jlo.1.C, 8jlp.1.C, 8jlq.1.C, 8jlr.1.C, 8jlz.1.E, 8jmt.1.A, 8jpb.1.C, 8jpc.1.A, 8jpn.1.D, 8jpp.1.D, 8jps.1.A, 8jr9.1.E, 8jru.1.A, 8jrv.1.A, 8jso.1.C, 8jsp.1.E, 8jt6.1.E, 8jt8.1.A, 8jwy.1.A, 8jxt.1.E, 8jxv.1.E, 8jxw.1.E, 8jz7.1.E, 8jzz.1.E, 8k2w.1.B, 8k2x.1.D, 8k3z.1.A, 8k4o.1.A, 8k4p.1.B, 8k6m.1.D, 8k6n.1.E, 8k6o.1.D, 8k8j.1.E, 8k9k.1.A, 8k9l.1.A, 8kfx.1.D, 8kfz.1.A, 8kgg.1.E, 8kgk.1.A, 8kh4.1.A, 8kh5.1.A, 8pjk.1.D, 8pkm.1.D, 8pm2.1.E, 8pok.1.A, 8qot.1.A, 8rjb.1.F, 8rjc.1.K, 8rjd.1.K, 8sai.1.A, 8sg1.1.A, 8smv.1.A, 8szf.1.A, 8szf.1.B, 8szg.1.C, 8szg.1.D, 8szh.1.A, 8szh.1.B, 8szi.1.D, 8szi.1.E, 8t3o.1.A, 8t3q.1.E, 8t3s.1.E, 8t3v.1.E, 8t6j.1.A, 8t7h.1.A, 8t8m.1.A, 8t8m.1.B, 8tao.1.A, 8tao.1.B, 8tb0.1.B, 8tb7.1.A, 8th3.1.A, 8th4.1.A, 8thk.1.E, 8tlm.1.C, 8tqb.1.A, 8tr0.1.A, 8tr0.1.B, 8tr2.1.A, 8trc.1.A, 8trd.1.A, 8trd.1.B, 8tzq.1.D, 8u02.1.A, 8u1u.1.A, 8u4n.1.D, 8u4q.1.C, 8u4r.1.C, 8u4s.1.C, 8u8f.1.D, 8ugy.1.D, 8uh3.1.C, 8uhb.1.A, 8uo1.1.D, 8uo3.1.D, 8uo4.1.D, 8uwl.1.A, 8v6u.1.A, 8vy7.1.E, 8vy9.1.E, 8w1v.1.A, 8w1v.1.B, 8w89.1.E, 8w8b.1.E, 8w8q.1.A, 8w8r.1.C, 8wa3.1.A, 8wc3.1.C, 8wc4.1.C, 8wc5.1.C, 8wc8.1.C, 8wc9.1.C, 8wca.1.C, 8wcb.1.C, 8wcc.1.A, 8wdt.1.A, 8wg7.1.E, 8wg8.1.E, 8wpg.1.A, 8wpg.1.B, 8wpu.1.A, 8wpu.1.B, 8wrz.1.C, 8wss.1.F, 8wst.1.F, 8wu1.1.D, 8ww2.1.E, 8wz2.1.F, 8x16.1.A, 8x17.1.B, 8x2k.1.A, 8x5x.1.A, 8x5y.1.A, 8x63.1.A, 8x64.1.A, 8x79.1.E, 8x7a.1.E, 8x8l.1.F, 8x8n.1.E, 8xbe.1.E, 8xbh.1.D, 8xgm.1.B, 8xgr.1.D, 8xio.1.A, 8xip.1.A, 8xiq.1.A, 8xir.1.A, 8xjk.1.E, 8xjn.1.E, 8xof.1.E, 8xog.1.E, 8xoh.1.E, 8xoi.1.E, 8xoj.1.E, 8xql.1.E, 8xqn.1.E, 8xqo.1.E, 8xqp.1.D, 8xqr.1.E,

8xqs.1.E, 8xqt.1.E, 8xve.1.F, 8xvh.1.F, 8xvi.1.E, 8xvj.1.D, 8xvk.1.D, 8xvl.1.D, 8xzf.1.A, 8xzg.1.E, 8xzh.1.A, 8xzi.1.A, 8xzj.1.A, 8ykv.1.E, 8yky.1.E, 8yrg.1.E, 8yut.1.E, 8yuu.1.A, 8yuv.1.E, 8yw5.1.B, 8yy8.1.E, 8yzk.1.A, 8z1e.1.A, 8zbe.1.A, 8zcj.1.E, 8zfj.1.D, 8zh8.1.A, 8zjd.1.A, 8zje.1.D, 8zmf.1.A, 8zmg.1.A, 8zmg.2.A, 8zqe.1.E, 8zr5.1.E, 8zrk.1.E, 8zsj.1.E, 8zsp.1.E, 8zss.1.E, 8zsv.1.E, 9asb.1.A, 9asb.1.B, 9auc.1.G, 9avl.1.A, 9avl.1.B, 9axf.1.A, 9axf.1.B, 9ayf.1.A, 9ayf.1.B, 9bjk.1.B, 9bkj.1.C, 9bkk.1.D, 9erx.1.D, 9iiw.1.A, 9ij9.1.D, 9ijd.1.D, 9ije.1.D